



LED WALL WASHER

NWW04

LED WALL WASHER




DESCRIPTIONS :

NWW04 is stylish and modern design with aluminum alloy shell and overall molding process. Special structure design ensures good heat radiation, and reduces LED'S light wave effectively. The lamp can be configured with white or RGB light, and mix the light in a short distance, which reflecting colorful lighting effects.

APPLICATIONS :


Commercial building, bridge, historic building or special facade etc




SPECIFICATIONS

Housing	High quality die-cast aluminum
LED module type	OSRAM
Voltage rating/ freq.	220-240V / 50-60 Hz
Color	Single / RGB
Driver	Integrated High quality high frequency integrated LED driver
Beam Angle	3.5°/7°/ 25°/40°/60°/8°x35°/10°x50°
Operating Temp.	-10°C - 50°C
Degree of protection	IP 66 / IK08
Light controller	Tempered protection glass
Rated lifetime	50,000hrs

CODE	Wattage	Lumin	IP Rate	LED Qty	Color	L	H
NWW041-160W/S	160W	17280LM	IP 66	2x48 pcs	Single	1039	229
NWW041-160W/RGB	160W		IP 66	2x48 pcs	RGB	1039	229




CODE	Wattage	Lumin	IP Rate	LED Qty	Color	L	H
NWW042-80 W/S	80W	8640LM	IP 66	48 pcs	Single	1030	135
NWW042-80W/RGB	80W		IP 66	48 pcs	RGB	1030	135




LED WALL WASHER


CODE	Wattage	Lumin	IP Rate	LED Qty	Color	L	H
NWW043-60W/S	60W	6480LM	IP 66	36 pcs	Single	1030	135
NWW043-60W/RGB	60W		IP 66	36 pcs	RGB	1030	135



CODE	Wattage	Lumin	IP Rate	LED Qty	Color	L	H
NWW044-40W/S	40W	4320LM	IP 66	24 pcs	Single	530	135
NWW044-40W/RGB	40W		IP 66	24 pcs	RGB	530	135





CODE	Wattage	Lumin	IP Rate	LED Qty	Color	L	H
NWW045-30W/S/RGB	30W	3240LM	IP 66	18 pcs	Single	530	135
NWW045-30W/S/RGB	30W		IP 66	18 pcs	RGB	530	135



OPTIONS :

DMX512 controller, DMX signal amplifier and other accessories




Smart structure with high lumen, max:100lV



Mesh ventilating provides effective dissipate heat



Integrated bracket and strong structure



Head office

Malaz - Salahidin Road
P.O Box 1246 Riyadh 11431

Tel : +966 11 4777 700
Fax: +966 11 4789 469

Western Region Office

Tahliya Street
P.O Box 20798 Jeddah 21465

Tel : +966 12 6650888
Fax: +966 12 6633413

Eastern Region Office

King Abdulaziz Street
P.O Box 8492 Dammam 31482

Tel : +966 13 8336509
Fax: +966 13 8329065

ContactUs@noortek.com



www.noortek.com