LANDSCAPE

BS01

Noortek
More Light

OUTDOOR

BOLUX SPIKE BS01

SPECIFICATIONS :

Housing	:	Die-cast aluminum
Lamp Type	:	INCAN PAR38
Lamp holder	:	E27
Voltage rating/ freq.	:	220-240V / 50-60 Hz
Control gear type	:	NA
Degree of protection	:	IP 65
Optical cofigutation	:	Antiglare louver

DESCRIPTIONS : BOLUX SPIKE BS01 is a Heavy duty die-cast aluminum powder coating, construction corrosion resistant hardware allows total adjustability, suitable for either up or down lighting applications. Ideal for back yards, parks, signs and so on. Designed for use with incandescent PAR38 lamps.

APPLICATIONS : Back yards, parks, signs and other similar applications



CODE	Ø	H
BOLUX [BS01]-80W PAR38	130	453

Noortek

Head office

Malaz - Salahidin Road
P.O Box 1246 Riyadh 11431

Tel : +966 11 477 77 00
Fax: +966 11 478 94 69

Western Region Office

Tahliya Street
P.O Box 20798 Jeddah 21465

Tel : +966 12 6650888
Fax: +966 12 6633413

Eastern Region Office

King Abdulaziz Street
P.O Box 8492 Dammam 31482

Tel : +966 13 8336509
Fax: +966 13 8329065

ContactUs@noortek.com

www.noortek.com