

LED WALL WASHER
NWW02

LED WALL WASHER



DESCRIPTIONS :

NWW02 is stylish and modern design with aluminum alloy shell and overall molding process. Special structure design ensures good heat radiation, and reduces LED'S light wane effectively. The light source can be configured with white or RGB light, and mix the light in a short distance, which reflecting colorful lighting effects.



APPLICATIONS :

Professional facade lighting, Area lighting and other similar applications



SPECIFICATIONS

Housing	High quality die-cast aluminum
LED module type	OSRAM
Voltage rating/ freq.	220-240V / 50-60 Hz
Color	Single / RGB
Driver	Integrated High quality high frequency integrated LED driver
Beam Angle	10°/ 25°/ 40°/60°/10x50°
Operating Temp.	-10°C - 50°C
Degree of protection	IP 66 / IK 08
Light controller	Tempered protection glass
Rated lifetime	50,000hrs

CODE	Wattage	Lumen	IP Rate	LED Qty	Color	L	H
NWW021-40W/S	40W	4320LM	IP 66	24 pcs	Single	1000	64
NWW021-40W/RGB	40W		IP 66	24 pcs	RGB	1000	64





CODE	Wattage	Lumen	IP Rate	LED Qty	Color	L	H
NWW022-30W/S	30W	3240LM	IP 66	18 pcs	Single	1000	64
NWW022-30W/RGB	30W		IP 66	18 pcs	RGB	1000	64





LED WALL WASHER

CODE	Wattage	Lumen	IP Rate	LED Qty	Color	L	H
NWW023-20W/S	20W	2160LM	IP 66	12 pcs	Single	1000	64
NWW023-20W/RGB	20W		IP 66	12 pcs	RGB	1000	64



CODE	Wattage	Lumen	IP Rate	LED Qty	Color	L	H
NWW024-10W/S	10W	1080LM	IP 66	9 pcs	Single	500	64
NWW024-15W/S	15W	1620LM	IP 66	9 pcs	Single	500	64
NWW024-15W/RGB	15W		IP 66	9 pcs	RGB	500	64



Rectangle glass (Optional)




Adjustable Angle design



Integral waterproof

AVAILABLE BEAM ANGLES



Distance between lamp and wall is 0.1m

OPTIONS :

DMX512 controller, DMX signal amplifier and other accessories



Head office

Malaz - Salahidin Road
P.O Box 1246 Riyadh 11431

Tel : +966 11 4777 700
Fax: +966 11 4789 469

Western Region Office

Tahliya Street
P.O Box 20798 Jeddah 21465

Tel : +966 12 6650888
Fax: +966 12 6633413

Eastern Region Office

King Abdulaziz Street
P.O Box 8492 Dammam 31482

Tel : +966 13 8336509
Fax: +966 13 8329065

ContactUs@noortek.com



www.noortek.com