



# LANDSCAPE

B03X SERIES

# OUTDOOR

BOLUX

B03X SERIES



## SPECIFICATIONS :



Head Material	: Die-cast aluminum
Housing	: Extruded aluminium tube
Lamp Type	: MH/HPS/CFL
Lamp holder	: E27/G24
Voltage rating/ freq.	: 220-240V / 50-60 Hz
Control gear type	: HPF conventional control gear (MH/HPS) HF electronic ballast (CFL)
Power factor	: >0.9
Degree of protection	: IP 65
Optical configuration	: Anodized aluminium louver
Finishing	: Durable enamel finish
Diffuser	: Impact resistant polycarbonate lens with UV inhibitor

**DESCRIPTIONS :** BOLUX B03X series is Attractive heavy duty bollards, ideal for lighting pedestrian walkways and accenting the exterior grounds of office and apartment buildings, hotel and parks of cast aluminum construction throughout providing corrosion and vandal resistance.


**APPLICATIONS :** Pedestrian, walkways and other similar applications

## OPTIONS :

- Different hight from 500 mm to 1000 mm
- Different MH Wattage 35W/50W/70W
- Different HPS Wattage 50W/70W
- Different CFL Wattage 18W/26W/32W/42W



CODE	D	H
BOLUX [B031]-70W MH	206	1000
BOLUX [B032]-70W HPS	206	1000
BOLUX [B033]-26W CFL	206	1000



### **Head office**

Malaz - Salahidin Road  
P.O Box 1246 Riyadh 11431

Tel : +966 11 477 77 00  
Fax: +966 11 478 94 69

### **Western Region Office**

Tahliya Street  
P.O Box 20798 Jeddah 21465

Tel : +966 12 6650888  
Fax: +966 12 6633413

### **Eastern Region Office**

King Abdulaziz Street  
P.O Box 8492 Dammam 31482

Tel : +966 13 8336509  
Fax: +966 13 8329065

ContactUs@noortek.com



**www.noortek.com**