



وحدة إنارة ليد

LED Neon Strip

NTK1010-0NB012

LED Neon Strip NTK1010-ONB012




SPECIFICATIONS

Model No	LED LED Neon Strip
Voltage	DC24V
Power	6/12W(±10%)
Led brand	CREE, PHILIPS, Samsung, Osram (available)
Led/m	2835 120Leds/M
Luminous flux	>600lm(P=12W/M) 4000K, Ra>90
Optical effect	>50lm/W(P=12W/M,4000K,Ra>90)
CRI	Ra>90
Beam Angle	120°
IP	IP65
CB	8mm
olor	2700/3000K(±150K) 、3500K/4000K(±200) 、6000K(±500)
amp body material	Silica gel
Color tolerance	SDCM < 5
Contour dimension	L5000*W10*H10mm(5M/roll)
Control Mode	ON/OFF, 0-10V (Dimming)
Installation	4.0mm) Buckle/slot (reserved 4.0mm for screw hole)
OUT-of-line mode	: 2*0.5mm ² , L300mm Outgoing wires at both ends: bare wire, waterproof connector, 2*0.5mm ² silicone wire, length L300mm
Packing method	10: 415*415*230mm Packing in electrostatic bags; 10 bags/carton, outer carton size: 415*415*230mm

LED Neon Strip

NTK1010-0NB012

Product size :



Outlet method:


1: Straight outlet



2: Side outlet



3: Outlet header




300mm
Bare wire length 300mm




300mm
Waterproof connector length 300mm

Outlet method:

1: 4.0mm Snap installation: reserved 4.0mm screw holes



2: 4.0mm Card slot installation: reserved 4.0mm screw holes



LED Neon Strip

NTK1010-ONB012

Line identification:

24V+, Red




GND, Black

Characteristics:

- ▶ Led uses the high quality, the high brightness brand chip;
- ▶ Extruded silica gel process, better waterproof performance, high waterproof grade
- ▶ The lamp body is made of Silica Gel, and the surface is further processed;
- ▶ Optional color temperature, 2700/3000/3500/4000/6000K;
- ▶ Good color consistency, uniform light, no light spot;
- ▶ CQC, CE, all materials in accordance with RoHS standard;

Application:

- ▶ Indoor LED lighting decoration (stair lighting, hallway lighting, lighting decoration, edge decoration, etc.)
- ▶ Atmosphere decoration of entertainment venues, bars, KTV, hotels
- ▶ Various indoor and outdoor lighting projects, building lighting decoration;
- ▶ Buildings and pavilions, bridges, parks, squares and other contour decorations.



Head office

Malaz - Salahidin Road
P.O Box 1246 Riyadh 11431

Tel : +966 11 4777 700
Fax: +966 11 4789 469

Western Region Office

Tahliya Street
P.O Box 20798 Jeddah 21465

Tel : +966 12 6650888
Fax: +966 12 6633413

Eastern Region Office

King Abdulaziz Street
P.O Box 8492 Dammam 31482

Tel : +966 13 8336509
Fax: +966 13 8329065

ContactUs@noortek.com



www.noortek.com