


LED WALL WASHER

NWW05

LED WALL WASHER



DESCRIPTIONS :

NWW05 is stylish and modern design with aluminum alloy shell and overall molding process. Special structure design ensures good heat radiation, and reduces LED'S light wane effectively. The lamp can be configured with white light.


APPLICATIONS :

Commercial building, bridge, historic building or special facade etc


SPECIFICATIONS

Housing	High quality extruded aluminum with die-cast aluminum end caps RAL 7040
LED module type	OSRAM
Voltage rating/ freq.	220-240V / 50-60 Hz
Color	Single / RGB
Driver	integrated LED driver
Beam Angle	7°/25°/40°/ 60°/8x35°/10°x50°
Operating Temp.	-10°C - 50°C
Degree of protection	IP 66 / IK08
Light controller	Tempered protection glass Rated lifetime
50,000hrs	

CODE	Wattage	Lumin	IP Rate	LED Qty	Color	L	H
NWW051-40W/S	40W	3600LM	IP 66	24 pcs	Single/RGB	1000	67




CODE	Wattage	Lumin	IP Rate	LED Qty	Color	L	H
NWW052-27W/S	27W	2430LM	IP 66	24 pcs	Single/RGB	1000	67




LED WALL WASHER








CODE	Wattage	Lumin	IP Rate	LED Qty	Color	L	H
NWW053-20W/S	20W	1800LM	IP 66	18 pcs	Single/RGB	1000	67



CODE	Wattage	Lumin	IP Rate	LED Qty	Color	L	H
NWW054-14W/S	14W	1260LM	IP 66	12 pcs	Single/RGB	1000	67



CODE	Wattage	Lumin	IP Rate	LED Qty	Color	L	H
NWW055-10W/S	10W	900LM	IP 66	9 pcs	Single/RGB	500	67



Head office

Malaz - Salahidin Road
P.O Box 1246 Riyadh 11431

Tel : +966 11 4777 700
Fax: +966 11 4789 469

Western Region Office

Tahliya Street
P.O Box 20798 Jeddah 21465

Tel : +966 12 6650888
Fax: +966 12 6633413

Eastern Region Office

King Abdulaziz Street
P.O Box 8492 Dammam 31482

Tel : +966 13 8336509
Fax: +966 13 8329065

ContactUs@noortek.com



www.noortek.com