



WALLUX
WL01X SERIES




DESCRIPTIONS :

WALLUX WL01 LED Series is a general purpose high quality LED bulkhead luminaire for outdoor applications. Using of high quality die cast aluminium housing and Opal PC diffuser make this product suitable for the most severe conditions with protection degree IP 65.

APPLICATIONS :



Roof lighting, building surrounding, electrical and mechanical rooms and other similar outdoor applications.





SPECIFICATIONS

Housing	Die-casting aluminum
LED module type	Samsung SMD LED chip
Voltage rating/ freq.	220-240V / 50-60 Hz
Driver	Integrated electronic constant current LED driver
Beam Angle	120°
Degree of protection	IP 65
Operating Temp.	-10°C - 50°C
Light controller	UV PC diffuser
Standard color temp.	3000K, 4000K, 6000K
Rated lifetime (L70)	35,000H / L70




CODE	Wattage	Lumin	IP Rate	Color Temp.	Beam Angle	Ø	H
WALLUX(WL011)-LED-20W/4K	20W	2000LM	IP 65	4000K	120°	265	120
WALLUX(WL012)-LED-35W/4K	35W	3500LM	IP 65	4000K	120°	365	143





CODE	Wattage	Lumin	IP Rate	Color Temp.	Beam Angle	Ø	H
WALLUX(WL013)-LED-20W/4K	20W	2000LM	IP 65	4000K	120°	265	120
WALLUX(WL014)-LED-35W/4K	35W	3500LM	IP 65	4000K	120°	365	143



CODE	Wattage	Lumin	IP Rate	Color Temp.	Beam Angle	Ø	H
WALLUX(WL015)-LED-20W/4K	20W	2000LM	IP 65	4000K	120°	265	120
WALLUX(WL016)-LED-35W/4K	35W	3500LM	IP 65	4000K	120°	365	143



CODE	Wattage	Lumin	IP Rate	Color Temp.	Beam Angle	Ø	H
WALLUX(WL017)-LED-10W/4K	10W	1000LM	IP 65	4000K	120°	265	120
WALLUX(WL018)-LED-20W/4K	20W	2000LM	IP 65	4000K	120°	365	143



OPTIONS :

- Dimmable Driver 1 - 10 / DALI
- Color Temperature : 3000K, 4000K, 6500K
- Other hosing color upon request (RAL color)
- Backup Emergency Kit 1H/3H

Head office

Malaz - Salahidin Road
P.O Box 1246 Riyadh 11431

Tel : +966 11 4777 700
Fax: +966 11 4789 469

Western Region Office

Tahliya Street
P.O Box 20798 Jeddah 21465

Tel : +966 12 6650888
Fax: +966 12 6633413

Eastern Region Office

King Abdulaziz Street
P.O Box 8492 Dammam 31482

Tel : +966 13 8336509
Fax: +966 13 8329065

ContactUs@noortek.com



www.noortek.com